EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	141	(((request$9 NEAR4 call$2) SAME (digit$2 OR character42)) AND SCP AND (service$2 ADJ node$2))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/28 08:41
S2	110	S1 AND SS7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/06 10:55
S3	44	S2 AND (service$2 ADJ request$9)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/06 10:57
S4	44	S3 AND (service$2 ADJ node$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/06 10:58
S5	87865	"379"/$.ccls. OR "455"/$.ccls	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/06 10:59
S6	30	S4 and S5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/06 10:59
S7	0	S6 AND (IS ADJ "771") AND WIN AND AIN	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/06 11:01
S8	0	S5 AND (IS ADJ "771") AND WIN AND AIN	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/06 11:02
S9	0	S5 AND (IS ADJ "771")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/06 11:02

S10	36	IS-771	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/06 11:02
S11	4	S10 and S6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/06 11:03
S12	205	(prepaid NEAR call$9) AND SS7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/06 12:44
S13	83	S12 and MSC	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/06 12:44
S14	25	S13 and S5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/06 12:45
S15	20	S14 and @ad<="20040409"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/28 11:09
S16	0	S15 and ((non ADJ loop) NEAR parameter$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/06 12:53
S17	1	((non ADJ loop) NEAR parameter$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/06 13:04
S18	89	((call$2 NEAR1 setup) SAME (enhanced NEAR service$2))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/06 13:06
S19	33	S18 and S5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/06 13:06

S20	0	S19 AND SS7 AND WIN	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/06 13:07
S21	29	S19 AND SS7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/06 16:04
S22	0	S21 AND WIN	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/06 13:07
S23	3	S21 and (pre ADJ paid)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/06 16:07
S24	2	"20020103899".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/06 16:11
S25	2	"6292656".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/07 07:55
S26	230	((pre ADJ paid) AND ((call$2 OR ring) ADJ back))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/07 08:20
S27	153	S26 and @ad<="20040409"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/28 18:23
S28	0	S27 AND ((ring$9 NEAR1 tone) NEAR1 process$9)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/07 08:41
S29	0	S27 AND (tone NEAR1 process$9)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/07 08:41

EAST Search History

S30	0	(S27 AND ((pre ADJ paid) NEAR1 process$9))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/07 08:44
S31	17	(S27 AND ((call$9 NEAR1 card$2) NEAR1 process$9))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/07 15:12
S32	2	"5815810".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/08 15:55
S33	2	"5889782".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/07 15:57
S34	230	redirec$12 AND ((original NEAR call$3) NEAR party)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/07 15:59
S35	24	S34 and IAM and ISUP	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/07 16:00
S36	20	S35 and @ad<="20040409"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/07 16:34
S37	1	S36 and WIN	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/07 16:19
S38	576	SIP and INVITE and SS7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/07 16:34
S39	46	S38 and WIN	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/07 16:34

S40	24	S39 and @ad<="20040409"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/08 13:49
S41	0	SIP same INVITE same SS7 same WIN	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/08 13:51
S42	2480	SIP same INVITE	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/08 13:51
S43	108	SS7 same WIN	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/08 13:51
S44	10	S42 and S43	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/08 13:51
S45	2	S44 and @ad<="20040409"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/08 15:56
S46	7	(((SIP NEAR2 message$2) NEAR2 map$4) WITH SS7)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/08 14:01
S47	53	(LEC and IXC and SS7 and (service$2 NEAR node$2))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/08 15:56
S48	43	S47 and @ad<="20040409"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/08 15:58
S49	5	S48 and SCP and STP and Internet	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/08 15:59

1/29/2008 7:53:21 PM
C:\Documents and Settings\knguyen23\My Documents\EAST\Workspaces\Call_Setup_Enhanced_Services_10821565.wsp

Page 5

S50	2641	(control$9 NEAR point$2) and signal$9 and loop$9 and (call$2 NEAR4 rout$9)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/28 08:44
S51	435	S50 and looping	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/28 08:45
S52	12	S51 and SCP and STP and MSC and BSC	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/28 08:50
S53	3	S52 and @ad<="20040409"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/28 08:50
S54	47	S51 and SCP and STP	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/28 08:50
S55	3	S53 and @ad<="20040409"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/28 08:51
S56	33	S54 and @ad<="20040409"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/28 09:29
S57	426	((call$2 NEAR2 (set ADJ up)) SAME loop$9)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/28 09:28
S58	33	S56 and @ad<="20040409"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/28 09:31
S59	357	S57 and @ad<="20040409"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/28 09:36

EAST Search History

S60	27	S59 and SCP and trigger$9	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/28 09:35
S61	75257	(end$5 NEAR2 loop$9)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/28 09:35
S62	81	S61 and SCP and trigger$9	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/28 09:35
S63	56	S62 and @ad<="20040409"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/28 09:36
S64	4	S63 and pre-paid	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/28 09:40
S65	18	S63 and ((endless continue$5) NEAR loop$9)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/28 11:06
S66	93	(((call$2 NEAR set$3) NEAR2 signal$9) NEAR4 (occur$5 done complet$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/28 11:11
S67	75	S66 and @ad<="20040409"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/28 11:16
S68	8	S67 and SCP	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/28 11:09
S69	1	(((call$2 NEAR set$3) NEAR2 signal$9) NEAR4 (occur$5 done complet$5)) SAME loop$9	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/28 11:13

EAST Search History

S70	0	((repeat$9 NEAR3 setup) SAME (endless NEAR2 loop$9))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/28 11:15
S71	13319	(endless NEAR2 loop$9)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/28 11:15
S72	45	S71 and SCP	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/28 11:39
S73	31	S72 and @ad<="20040409"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/28 11:39
S74	12	S71 and SCP and redirec$9	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/28 11:39
S75	4	S74 and @ad<="20040409"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/28 11:55
S76	2069	call$2 ADJ loop$9	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/28 11:54
S77	35	S76 and SCP	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/28 11:55
S78	23	S77 and @ad<="20040409"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/28 12:00
S79	32655	looping	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/28 12:00

EAST Search History

S80	194	S79 and SCP	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/28 12:00
S81	145	S80 and @ad<="20040409"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/28 13:20
S82	2	"5889782".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/28 13:00
S83	0	non-Loop ADJ parameter$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/28 13:01
S84	0	non-loop ADJ parameter$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/28 13:01
S85	1	non-loop NEAR5 parameter$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/28 13:14
S86	10309	loop NEAR5 parameter$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/28 14:18
S87	114	S86 and non-loop	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/28 13:19
S88	0	S87 and SCP	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/28 13:15
S89	0	S87 and ISUP	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/28 13:15

EAST Search History

S90	8	S86 and IAM	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/28 13:19
S91	0	S87 and IAM	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/28 13:19
S92	104	S87 and signal$9	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/28 13:20
S93	49	S92 and @ad<="20040409"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/28 14:41
S94	180	379/114.28.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/28 14:40
S95	49	S94 and (pre-paid OR (call$9 ADJ card$2))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/28 14:41
S96	45	S95 and @ad<="20040409"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/28 14:41
S97	858	ring-back adj tone	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/28 18:22
S98	38	S97 and SCP	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/28 18:22
S99	5	S98 and pre-paid	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/28 18:22

S10 0	2393	((ring ADJ back) adj tone)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/28 18:22
S10 1	107	S100 and SCP	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/28 18:22
S10 2	10	S101 and pre-paid	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/28 18:22
S10 3	4	S102 and @ad<="20040409"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/28 18:47
S10 4	6	(((call$2 ADJ set$6) ADJ up) SAME (pre-paid)) and SCP	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/28 18:49